

INDEX MAPS.

T. 11 N, R. 2 E. 2nd Mer.

	389		389		388		388		387		387	
391	6	413	5	407	4	403	3	399	2	395	1	386
	412		413		407		403		399		395	
391	7	412	8	406	9	402	10	398	11	394	12	386
	411		412		406		402		398		394	
390	18	411	17	406	16	402	15	398	14	394	13	386
	410		411		405		401		397		393	
390	19	410	20	405	21	401	22	397	23	393	24	385
	409		409		405		401		397		393	
390	30	409	29	404	28	400	27	396	26	392	25	385
	408		408		404		400		396		392	
389	31	408	32	403	33	399	34	396	35	392	36	384
	384		384		383		383		383		383	

T. 12 N, R. 2 E. 2nd Mer.

	422		421		421		420		420		419
424	6	448	5	441	4	436	3	432	2	428	1 419
	446		447		440		436		432		428
423	7	446	8	440	9	436	10	432	11	428	12 419
	445		445		439		435		431		427
423	18	445	17	439	16	435	15	431	14	427	13 418
	444		444		439		434		430		426
422	19	443	20	438	21	434	22	430	23	426	24 418
	443		443		438		434		430		426
422	30	442	29	437	28	433	27	429	26	425	25 417
	442		441		437		433		429		425
422	31	441	32	437	33	433	34	429	35	425	36 417
	417		416		416		415		415		415

Meanders 448

Meanders 448

[P] The figures on the lines refer to the page.

Township N. 11. North, Range N. 2 East 2^d Mer. Indiana

South Boundary

West On S. boundary of Sec. 36, T11N. 12E. 2E.
 40.00 Let the q. Sec. post, from which
 a Beech 8 in. dia. bear N 30 W 6 lks. dist. of
 a Do 9 " " " N 37 E 16 " "
 80.00 Let a post Cor. to Sec. 35 of 36, from which
 a B. Oak 20 in. dia. bear N 51 E 25 lks. dist. of
 a Beech 8 " " " N 30 W 5 " "
 Over broken land, timber Beech, Oak &c.

West On S. boundary of Sec. 35, T11N. 12E. 2E.
 16.15 a Brook 6 lks. wide Cr. N.
 38.00 Same 6 " " " N.
 40.00 Let the q. Sec. post, from which
 a Beech 18 in. dia. bear S 88 E 21 lks. dist. of
 a Do 12 " " " S 87 W 22 " "
 70.41 a Brook 7 lks. wide Cr. N.
 80.00 Let a post Cor. to Sec. 34 of 35, from which
 a Hickory 14 in. dia. bear S 71 W 20 lks. dist. of
 a Poplar 18 " " " N 76 E 45 " "
 Over broken land, timber Oak, Beech &c.

West On S. boundary of Sec. 34, T11N. 12E. 2E.
 40.00 Let the q. Sec. post, from which
 a Hickory 12 in. dia. bear N 77 W 10 lks. dist. of
 a Sugar 18 " " " S 33 E 37 " "
 80.00 Let a post Cor. to Sec. 33 of 34, from which
 an Ash 12 in. dia. bear N 39 W 17 lks. dist. of
 a Hognut 7 " " " N 50 E 6 " "
 Over broken land, timber Beech &c. and g. Spruce.

West On S. boundary of Sec. 33, T11N. 12E. 2E.
 40.00 Let the q. Sec. post, from which

T.M.N. R2E, 2^d Mer. Indiana

a Hickory 20 in. dia. beam N71 E 20 lks. dist. of
 a Beech 8 " " " N52 E 8 " "
 80.00 Set a post Cor. to Sec. 32 of 33, from which
 a Sugar 18 in. dia. beam N60 W 18 lks. dist. of
 a Beech 9 " " " N82 E 23 " "
 Over broken land, timber Beech, Sugar, poplar
 &c. undergth Spice &c

West On S. boundary of Sec. 32, T.M.N. R2E.
 30.50 a Brook 10 lks. wide Cr. N.W.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. beam S99 W 13 lks. dist. of
 a Do 6 " " " N70 W 5 " "
 80.00 Set a post Cor. to Sec. 31 of 32, from which
 a W. Oak 20 in. dia. beam S37 E 5 lks. dist. of
 a Hickory 13 " " " N52 E 7 " "
 Over broken land timber Oak, Beech &c.

West On S. boundary of Sec. 31, T.M.N. R2E.
 40.00 Set the q. Sec. post, from which
 an Oak 13 in. dia. beam N62 E 21 lks. dist. of
 a ——— 14 " " " S73 W 47 " "
 42.50 a Brook 15 lks. wide Cr. N.
 75.91 Intersected the Range line between Ranges
 1 & 2 E. of Town 10 of M.N. at the corner.
 Over Broken land, timber Oak, Beech &c.
 June 30th 1819.

East Boundary var. 6.15. E.
 North On E. boundary of Sec. 36, T.M.N. R2E.
 18.00 a Creek 25 lks. wide Cr. N.W.
 28.00 a Do 30 " " " West
 30.90 a Sugar tree 15 in. dia. in the line

T.M.N. R2 E, 2^d. Mer. Indiana

385

- 40.00 Let the q. Sec. post, from which
a Beech 6 in. dia. bear N46 W 6 lks. dist. of
a do 9 " " " N30 E 15 " "
80.00 Let a post, Cor. to Sec. 25 of 36, from which
a Sugar 9 in. dia. bear N4 E 10 lks. dist. of
a do 18 " " " N70 W 20 " "
Broken land, timber Beech, Sugar, Poplar, Ash
&c. under J. Spice.

- North On E. boundary of Sec 25, T.M.N. R2 E.
33.47 a Sugar 20 in. dia. in the line
40.00 Let the q. Sec. post, from which
a Beech 10 in. dia. bear N66 W 39 lks. dist. of
a do 24 " " " N70 E 3 " "
58.98 a Hackberry 20 in. dia. in the line
64.50 a Creek 50 lks. wide C.P. S.W.
80.00 Let a post Cor. to Sec. 24 of 25, from which
a Beech 10 in. dia. bear N56 E 16 lks. dist. of
a Beech 16 " " " N51 W 9 " "
Good farming land, timber, Beech, Sugar, Ash,
Elm, Buckeye, Hackberry &c, under J. Spice &c.

- North On E. boundary of Sec. 24, T.M.N. R2 E.
21.00 a Branch 4 lks. wide C.P. S.W.
27.58 a Beech 20 in. dia. in the line
40.00 Let the q. Sec. post, from which
a Beech 18 in. dia. bear N52 E 23 lks. dist. of
a do 7 " " " N6 W 22 " "
67.00 a Branch 4 lks. wide C.P. S.W.
78.14 a Beech 25 in. dia. in the line
80.00 Let a post Cor. to Sec. 13 of 24, from which
a Beech 7 in. dia. bear N66 E 6 lks. dist. of
a do 18 " " " N35 W 25 " "

T.M.N. R2 E, 2^d. Mer. Indiana

Sand timber &c. same as on the last mile

North On E. boundary of 13, T11 N, R2 E.

12.23 an Ash 25 in. diam. in the line

23.00 a Branch 4 lbs. wide S.W.

40.00 At the q. Sec. post, from which
a Beech 10 in. diam. bray S45 W 6 lbs. dist. of
an Ash 21 " " " S87 E 41 " "

58.00 a Branch 10 lbs. wide E. S.W.

58.78 a Sugar 27 in. diam. in the line

80.00 Set a post Cor. to Sec. 12 & 13, from which
a Beech 9 in. diam. bray S54 E 18 lbs. dist. of
a Do 6 " " " S69 E 7 " "
1st rate land, timber, Beech, Ash, Sugar, Elm,
Cherry &c. undergth Spice.

North On E. boundary of Sec. 12, T11 N, R2 E.

14.49 a Beech 22 in. diam. in the line

40.00 At the q. Sec. post, from which
a Beech 20 in. diam. bray N33 E 13 lbs. dist. of
a Do 10 " " " S85 W 30 " "

59.00 a Branch 3 lbs. wide E. S.E.

67.95 a Beech 24 in. diam. in the line

80.00 Set a post Cor. to Sec. 11 & 12, from which
a Beech 7 in. diam. bray N87 E 10 dist. of
a Do 5 " " " N70 W 10 " "
Level 2nd rate land, timber Beech, Sugar, Sugar,
Ash, poplar, &c. undergth Spice & Pawpaw.

North On E. boundary of Sec. 1, T11 N, R2 E.

24.50 a Creek 30 lbs. wide E. S. West.

40.00 At the q. Sec. post, from which
an Oak 5 in. diam. bray N40 W 10 dist. of

T.M.N. R2 E. 2. Mer. Indiana ³⁸⁷

a Cherry 6 in. dia. bray N 3 E 18 lbs. dist.
 61.00 a Creek 50 lbs. wide Cr. S. W.
 73.58 a Sugar 21 in. dia. in the line
 79.90 Set a post Cor. to Township, N. 11 of 12 N. Ranges
 N. 2 of 3 E, from which
 a Beech 25 in. dia. bray N 26 E 13 lbs. dist. of
 a Beech 12 " " " N 26 E 25 " "
 Good farming land, timber, Beech, Poplar, Ash
 &c. undug. Spice, Beech &c.
 June 29th 1819

North Boundary var. 7.15' E.
 West On S. boundary of Sec. 36, T12 N. R2 E.
 29.50 a Branch 6 lbs. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bray N 44 E 13 lbs. dist. of
 a Do 9 " " " S 50 W 7 " "
 74.50 a Creek 40 lbs. wide Cr. S. W.
 80.00 Set a post Cor. to Sec. 35 & 36, T12 N. R2 E from which
 a Beech 7 in. dia. bray N 19 W 9 lbs. dist. of
 a Do 24 " " " S 6 W 20 " "
 Broken land, timber Beech, Ash, Sugar &c. undug.
 Spice &c. Soil good

West On S. boundary of Sec. 35, T12 N. R2 E.
 2.40 a Spanish Oak 27 in. dia. in the line
 22.00 a Branch 6 lbs. wide Cr. S. E.
 40.00 Set the q. Sec. post, from which
 a Beech 9 in. dia. bray N 83 E 9 lbs. dist. of
 a Dogwood 6 " " " N 70 W 10 " "
 48.90 a Branch 5 lbs. wide Cr. S. E.
 51.76 a Beech 24 in. dia. in the line
 80.00 Set a post Cor. to Sec. 34 & 35, T12 N. R2 E, from which

St. N. R. 2 E. 2^d. Mer. Indiana

a Beech 9 in. dia. bray N 40 E 19 lks. dist. of
 a Sugar 7 " " " N 74 W 16 " "
 First 1/2 broken - 2^d 1/2 rolling good farming land
 land, timber Beech, ash &c. undergth. Spruce, Soil good

West On S. boundary of Sec. 34, 1/2 St. N. R. 2 E.

12.80 a Branch 6 lks. wide N.W.

19.10 a do 8 " " N.W.

33.40 a Beech 9 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Sugar 7 in. dia. bray N 52 W 9 lks. dist. of

a Beech 6 " " " N 70 E 8 " "

51.00 a Branch 8 lks. wide E. S. N.W.

64.20 a Beech 15 in. dia. in the line

80.00 Set a post Cor. to Sec. 33 & 34, 1/2 St. N. R. 2 E. from which

a Sugar 10 in. dia. bray N 41 E 10 lks. dist. of

a Beech 12 " " " N 62 W 10 " "

Broken land, timber Beech, ash & Elm,

undergth. Spruce, Beech &c. Soil good

West On S. boundary of Sec. 33, 1/2 St. N. R. 2 E.

24.30 a Branch 6 lks. wide E. S. N.W.

34.59 a Sugar 12 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Water Beech 7 in. dia. bray N 35 W 12 lks. dist. of

a Beech 8 " " " S 81 E 11 " "

69.40 a Beech 15 in. dia. in the line

80.00 Set a post Cor. to Sec. 32 & 33, 1/2 St. N. R. 2 E. from which

a Beech 18 in. dia. bray S 80 W 13 lks. dist. of

a do 20 " " " N 26 E 26 " "

Rolling land good for farming, timber Beech,
 Sugar, ash, &c. undergth. Spruce Soil good

West On S. boundary of Sec. 32, T12N. R2E.
 4.40 a Beech 12 in. dia. in the line
 7.25 a Branch 4 in. wide Cr. S. W.
 33.90 a Do 8 " " " S. W.
 40.00 At the q. Sec. post, from which
 a Beech 6 in. dia. bray N 83° W 8 in. dist. of
 a Do 9 " " " S 44° E 24 " "
 46.10 a Branch 6 in. wide Cr. North
 74.25 a Hickory 12 in. dia. in the line
 80.00 At a post Cor. to Sec. 31 & 32, T12N. R2E, from which
 Good farming land, timber Beech, ash Sugar &c.
 underg^d. Spice &c. Soil good.

West On S. boundary of Sec. 31, T12N. R2E.
 20.05 a Branch 4 in. wide Cr. S. W.
 24.50 a Beech 18 in. dia. in the line
 40.00 At the q. Sec. post. from which
 a Beech 12 in. dia. bray N 48° W 10 in. dist. of
 a Do 20 " " " S 23° W 25 " "
 70.00 to the Township Corner. July 3^d 1819
 Broken land, timber Beech, ash, Poplar, Sugar &c.
 underg^d. Spice Soil Good.

West Boundary var. E. 15' E.
 North On E. boundary of Sec. 36, T12N. R1E.
 35.68 a Beech 27 in. dia. in the line
 37.40 a Branch 15 in. wide Cr. S. W.
 40.00 At the q. Sec. post, from which
 a Beech 18 in. dia. bray N 12° W 20 in. dist. of
 a Do 6 " " " S 62° E 5 " "
 46.50 a Creek 25 in. wide Cr. W.
 71.04 a Beech 24 in. dia. in the line
 80.00 At a post Cor. to Sec. 25 & 36, T12N. R1E, from which

T.M.N. R2 E. 2^d Mer. Indiana

a Beech 6 m. diam. bray N64 W 18 lks. dist. of
 a do 9 " " " S63 W 32 " "
 Good farming land, timber Beech, Sugar &c. undg.
 Spice &c.

North On E. boundary of Sec. 25, T.M.N. R1 E.

9.40 a Beech 20 m. diam. in the line
 14.00 a Creek 100 lks. wide C.P. S.W.
 40.00 Set the q. Sec. post, from which
 a Beech 10 m. diam. bray S30 E 8 lks. dist. of
 a do 8 " " " S47 E 19 " "
 45.50 a Branch 12 lks. wide C.P. S.W.
 60.00 a Creek 30 lks. wide C.P. S.W.
 80.00 Set a post Cor. to Sec. 24 & 25, T.M.N. R1 E, from which
 a Sugar 20 m. diam. bray N21 E 13 lks. dist. of
 a Beech 10 " " " S71 E 10 " "
 2^d rate land, timber Beech, Sugar &c. undg. Spice

North On E. boundary of Sec. 24, T.M.N. R1 E.

18.84 a W. Oak 42 m. diam. in the line
 40.00 Set the q. Sec. post, from which
 an Oak 20 m. diam. bray S17 E 11 lks. dist. of
 a Beech 10 " " " S85 W 15 " "
 57.94 an Oak 36 " " in the line
 74.50 a Branch 20 lks. wide C.P. S.W.
 80.00 Set a post Cor. to Sec. 13 & 24, T.M.N. R1 E, from which
 a Beech 27 m. diam. bray N67 E 23 lks. dist. of
 a do 12 " " " S47 W 11 " "
 Good farming land, timber same as on the last mile

North On E. boundary of Sec. 13, T.M.N. R1 E.

23.39 an Oak 27 m. diam. in the line
 40.00 Set the q. Sec. post, from which

T.M. R2E. 2^d Mer. Indiana

391

at Beech 6 mi. dist. by N 20 W 14 lbs. dist. of
 a do 8 " " " N 65 E 10 " "
 70.62 a Sugar 22 " " in the line
 80.00 Set a post Cor. to Sec. 12 & 13, T.M. R1E, from which
 at Beech 21 mi. dist. by N 86 E 22 lbs. dist. of
 a do 9 " " " S 66 W 15 " "
 Broken land, timb. beech, sugar, Poplar, ash & spice

North On E. boundary of Sec. 12, T.M. R1E.
 24.50 at Branch 4 lbs. wide E. S. W.
 31.00 a do 4 " " " S. W.
 33.50 a Poplar 36 mi. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 30 mi. dist. by N 63 W 35 lbs. dist. of
 a do 24 " " " S 44 E 41 " "
 80.00 Set a post Cor. to Sec. 11 & 12, T.M. R1E. from which
 a Beech 10 mi. dist. by N 30 W 33 lbs. dist. of
 a do 14 " " " S 69 E 32 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T.M. R1E.
 13.00 a Creek 30 lbs. wide E. S. W.
 30.25 a Beech 33 mi. dist. in the line
 40.00 Set the q. Sec. post, from which
 at Beech 12 mi. dist. by N 62 W 20 lbs. dist. of
 a Sugar 10 " " " N 25 W 6 " "
 64.02 a Beech 25 " " in the line
 78.00 Set a post Corner to Township, 11 & 12 N. Range
 1 & 2 East, from which
 a Sugar 12 mi. dist. by N 80 E 26 lbs. dist. of
 a Beech 7 " " " S 65 W 24 " "
 Land timber &c. same as on the last mile
 Surveyed by John McDonald, M. S.

T.M.N. R2E, 2^d Mer. Indiana

Subdivision.

North Between Secs. 35 & 36, T.M.N. R2E.

13.17 a W. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 20 in. dia. bray N62E 28 lns. dist. &

a do 4 " " " S18E 14 " "

50.35 a Beech 24 " " in the line

80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which

a W. Oak 6 in. dia. bray S1W 27 lns. dist. &

a Sugar 6 " " " S83E 8 " "

1¹/₂ mile hilly 3^d rate - last 1/2 mile rolling 2^d rate
all the timber on 1¹/₂ fallen on last 1/2 Sugar,
Beech &c. undug. th Spruce &c.

East On Random between Secs. 25 & 36, T.M.N. R2E

35.50 a Creek 10 lns. wide Cr. N.W.

39.12 a Spring branch 4 lns. wide Cr. N.W.

40.00 Set the temp. q. Sec. post

78.44 Intersected the E. boundary 19 lns. N. of Corner

Sand hilly 3^d rate ash, Beech, Sugar, undug. th Spruce

West On true line between Secs. 25 & 36, T.M.N. R2E.

39.22 Set q. Sec. post at average dist. from which

a Water Beech 6 in. dia. bray N35W 28 lns. dist. &

an Elm 40 " " " S45W 30 " "

78.44 to Sec Corner

North Between Secs. 25 & 26, T.M.N. R2E.

11.48 a Sugar 10 in. dia. in the line

13.30 a Spring branch 5 lns. wide Cr. N.W.

24.00 a Creek 25 lns. wide Cr. W.

40.00 Set the q. Sec. post, from which

a Beech 12 in. dia. bray N33E 15 lns. dist. &

T. 11 N. R. 2 E. 2^d Mer. Indiana

a Beech 7 mi. diam. bran S 51° 20' W 1/2 mi. distant
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
 an Ash 12 mi. diam. bran S 51° 14' W 1/4 mi. dist. of
 a Beech 5 " " " S 43° E 4 " "
 Land level 1st rate, Ash, Beech, Walnut, Sugar &c.
 undergrowth Spice.

East On Random between Sec. 24 & 25, T. 11 N. R. 2 E.
 40.00 Set temp. q. Sec. post
 80.12 Intersected the E. boundary 115 lks. N. of the corner
 Land level 1st rate, Ash, Walnut, Sugar &c. undg. Spice

West On true line between Sec. 24 & 25, T. 11 N. R. 2 E.
 40.06 Set q. Sec. post at average dist. from which
 a Beech 6 mi. diam. bran S 40° 11' 26" W 1/4 mi. dist. of
 a Ho 20 " " " N 4° E 26 " "
 80.12 to Sec. Corner.

North Between Sec. 23 & 24, T. 11 N. R. 2 E.
 9.80 a Beech 24 mi. diam. in the line
 40.00 Set the q. post, from which
 a Water Beech 7 mi. diam. bran S 22° E 6 lks. dist. of
 a Beech 12 " " " N 14° E 25 " "
 61.83 a Beech 18 mi. diam. in the line
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Sugar 6 mi. diam. bran S 52° 11' 5" W 1/4 mi. dist. of
 a Beech 11 " " " N 13° E 28 " "
 Land level 1st rate, timber Beech, Sugar, Ash, Blk.
 Walnut &c. undg. Spice &c.

East On Random between Sec. 13 & 24, T. 11 N. R. 2 E.
 40.00 Set temp. q. Sec. post
 80.20 Intersected the E. boundary 159 lks. N. of the corner

T11 N. R2 E. 2^d Mer. Indiana

Sand level 1st 1st 1st rate - last 1/2 2^d rate, timber Ash
Beech, Angar, Walnut &c. undg^d. Spice &c

West On true line between Sec. 13 & 24, T11 N. R2 E.
40.10 Set of Sec. post at average dist. from which
a Beech 10 in. diam. bran N 88 E 22 lks. dist. of
a do 15 " " " N 64 W 18 " "
80.20 to Sec. corner.

North Between Sec. 13 & 14, T11 N. R2 E.
20.11 a Beech 2 in. diam. in the line
40.00 Set the of Sec. post, from which
a Beech 20 in. diam. bran N 78 E 42 lks. dist. of
a do 30 " " " S 89 W 34 " "
56.90 a Beech 15 " " in the line
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 14 in. diam. bran S 30 E 23 lks. dist. of
a do 18 " " " N 38 E 24 " "
Sand rolling 2^d rate Beech, Ash &c. undg^d. Spice
August 7th 1830

East On Random between Sec. 12 & 13, T11 N. R2 E.
40.00 Set temp. of Sec. post
80.50 Intersected the E. boundary 300 lks. N. of post
Sand level 2^d rate, Ash, Beech, undg^d. Spice

West On true line between Sec. 12 & 13, T11 N. R2 E.
40.25 Set of Sec. post at average dist. from which
a Beech 10 in. diam. bran S 47 E 10 lks. dist. of
a do 12 " " " S 86 W 25 " "
80.50 to Sec. corner.

North Between Sec. 11 & 12, T11 N. R2 E

T.M.N. R2 E. 2^d. Mer. Indiana

395

18.10 a Beech 30 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bear S 22 E 17 lks. dist. of
 a Do 12 " " " N 39 W 14 " "
 52.60 a Beech 18 " " in the line
 80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 15 in. dia. bear N 71 E 28 lks. dist. of
 a Do 8 " " " S 80 W 13 " "
 Land level 2^d. rate, ash, Beech &c. undg. th Spice

East On Random between Sec. 1 & 12, T.M.N. R2 E.
 40.00 Set temp. temp. q. Sec. post
 81.86 Intersected the E. boundary 240 lks. N. of post
 Land rolling 2^d. rate, ash, Beech &c. undg. th Spice

West On true line between Sec. 1 & 12, T.M.N. R2 E.
 40.93 Set q. Sec. post at average dist. from which
 a Beech 18 in. dia. bear S 80 E 11 lks. dist. of
 a Do 24 " " " S 86 W 36 " "
 81.86 to Sec. Corner.

North Between Sec. 1 & 2, T.M.N. R2 E, 2^d. Mer.
 6.16 a Beech 18 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Cherry 6 in. dia. bear S 81 E 17 lks. dist. of
 a Beech 10 " " " S 54 W 33 " "
 65.85 an Ash 18 " " in the line
 74.16 Intersected the N. boundary 395 lks. N. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a Beech 18 in. dia. bear N 43 W 25 lks. dist. of
 a Do 24 " " " S 49 E 26 " "
 Land extremely hilly 3^d. rate, Beech, W. Oak &c.
 Underg. th birch, thorn &c. August 8th 1820

T.M.N. R2E. 2^d. Mer. Indiana

North Between Secs. 34 & 35, T.M.N. R2E.

- 9.25 an Oak 30 in. dia. in the line
 40.00 Set the q. Sec. post from which
 a Sugar 18 in. dia. bran N 70 E 7 lks. dist. of
 a Beech 6 " " " N 57 W 25 " "
 47.45 a Branch 8 lks. wide Cr. N.
 75.57 a Beech 30 in. dia. in the line
 80.00 Set a post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 18 in. dia. bran S 4 E 15 lks. dist. of
 a Do 10 " " " N 66 W 23 " "
 Land very hilly 3^d rate, Beech & N. Oak on 1st/₂
 timber fallen on last 1/2 mile, undg. th briars &c.
-

East On Random between Secs. 26 & 35, T.M.N. R2E.

- 3.15 a Branch 4 lks. wide Cr. North
 40.00 Set temp. q. Sec. post
 77.70 Intersected the N & S. line 80 lks. S. of the corner.
 Land hilly 2^d rate, Beech, Sugar &c. undg. th Spice
-

West On true line between Secs. 26 & 35, T.M.N. R2E.

- 38.85 Set q. Sec. post at average dist. from which
 a Beech 15 in. dia. bran S 51 W 31 lks. dist. of
 a Do 24 " " " N 74 W 27 " "
 77.70 to Sec. Corner.
-

North Between Secs. 26 & 27, T.M.N. R2E.

- 12.70 a Beech 20 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran S 72 E 15 lks. dist. of
 a Do 18 " " " N 60 W 20 " "
 42.50 a Creek 25 lks. wide Cr. N.W.
 70.50 an Elm 30 in. dia. in the line
 80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which

T.M.N. R2 E. 2nd Mer. Indiana

397

an Ash 30 in. dia. bran N 87 E 15 lks. dist. of
a W. Oak 18 " " " N 65 W 9 " "
Land level 1st rate Ash, Beech, Poplar, Walnut, Hack-
berry &c. undg.th Spruce.

East On Random between Sec. 23 & 26, T.M.N. R2 E.
40.00 Set temp. of Sec. post.
77.40 Intersected the N & S. line 207 lks. S. of the post
Land level 1st rate, timber Ash, Beech, Blk. Walnut
Hackberry &c. undg.th Spruce & prairie

West On true line between Sec. 23 & 26, T.M.N. R2 E.
38.70 Set of Sec. post at average dist. from which
a Blue Ash 15 in. dia. bran N 37 E 6 lks. dist. of
an Ash 10 " " " N 63 W 37 " "
77.40 to the Sec. Corner

North Between Sec. 22 & 23, T.M.N. R2 E
22.32 a Beech 12 in. dia. in the line
40.00 Set the of Sec. post, from which
a Beech 30 in. dia. bran N 58 E 27 lks. dist. of
a Poplar 40 " " " S 88 W 35 " "
69.50 a Beech 10 " " in the line
80.00 Set a post Cor. to Sec. 14, 15 & 22 & 23, from which
a Beech 18 in. dia. bran S 89 E 26 lks. dist. of
a Do 20 " " " South 27 " "
Hilly 1st & 2nd rate - last 1/2 3rd rate, undg.th Spruce

East On Random between Sec. 14 & 23, T.M.N. R2 E.
40.00 Set temp. of Sec. post
77.75 Intersected the N & S. line 200 lks. S. of the post
Land hilly 3rd rate, ash, Beech &c. undg.th Spruce
August 9th 1820

T.M.N. R2E. 2. Mer. Indiana

West On true line between Sec. 14 & 23, T.M.N. R2E.
 38.87 Set q. Sec. post at average dist. from which
 a Beech 15 mi. dist. from S55 E 12 lks. dist. of
 a Do 12 " " " N78 E 12 " "
 77.75 to Sec. Corner

North Between Sec. 14 & 15, T.M.N. R2E.
 10.70 a Beech 24 mi. dist. from in the line
 40.00 Set the q. Sec. post, from which
 a Beech 30 mi. dist. from S56 W 24 lks. dist. of
 a Sugar 6 " " " S17 E 23 " "
 45.70 a Beech 13 " " in the line
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15 from which
 a Lym 15 mi. dist. from N83 E 12 lks. dist. of
 an Ash 10 " " " S78 W 22 " "
 Land hilly 3. Rate Ash, Beech, W. Oak & under
 growth Green briar, Hognut &c

East On Random between Sec. 11 & 14, T.M.N. R2E.
 40.00 Set temp. q. Sec. post
 77.76 Intersected the N & S. line 180 lks. S. of the post.
 Land hilly 3. Rate, Beech, Ash, Sugar, and J. Spruce

West On true line between Sec. 11 & 14, T.M.N. R2E.
 38.88 Set q. Sec. post at average dist. from which
 a Beech 12 mi. dist. from S46 E 28 lks. dist. of
 an Oak 24 " " " N39 W 33 " "
 77.76 to Sec. Corner

North Between Sec. 10 & 11, T.M.N. R2E.
 29.08 a Hickory 15 mi. dist. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 10 mi. dist. from S25 E 16 lks. dist. of

T.M. R. & E. 2^d. Mer. Indiana

a Hickory 26 in. dia. bran S 83 W 6 lks. dist. of
 62.00 a Beech 24 " " in the line
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 6 in. dia. bran S 63 E 18 lks. dist. of
 a Do 20 " " " N 41 W 36 " "
 Hilly 3^d rate Ash, Beech, W. Oak, Poplar &c. under-
 gth Spice & Green briars.

East On Random between Sec. 2 & 11, T.M. R. & E.
 40.00 Set temp. q. Sec. post
 77.67 Intersected the N. & S. line 60 lks. N. of the post
 Land rolling 2^d rate, Beech, Ash &c. underg. th Pine.

West On true line between Sec. 2 & 11, T.M. R. & E.
 38.83 Set q. Sec. post at average dist. from which
 a Beech 7 in. dia. bran S 51 E 7 lks. dist. of
 a Do 12 " " " N 87 W 27 " "
 77.67 to Sec. Corner

North Between Sec. 2 & 3, T.M. R. & E.
 11.92 an Ash 32 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 a Sugar 12 in. dia. bran S 55 E 27 lks. dist. of
 a Do 10 " " " N 34 W 12 " "
 60.90 a Beech 24 " " in the line
 76.75 Intersected the N. boundary 285 lks. N. of the post,
 Set a post Cor. to Sec. 2 & 3, from which
 a Beech 24 in. dia. bran N 56 W 5 lks. dist. of
 a Do 18 " " " N 81 E 20 " "
 Land hilly, and last rate, timber, Beech, Ash, W. Oak,
 Blk. Oak &c. undergth Birch &c. Augth 10th 1820

North Between Sec. 33 & 34, T.M. R. & E.

T.M.N. R2 E. 2^d. Mer. Indiana

- 15.93 at P. Oak 20 in. diam. in the line
 40.00 Set the q. Sec. post, from which
 a Beech 18 in. diam. bran N47 E39 lks. dist. of
 a Poplar 18 " " " S37 W25 " "
 60.32 at Beech 24 " " in the line
 80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
 a Beech 12 in. diam. bran N68 W21 lks. dist. of
 a Hick. 14 " " " S20 W13 " "
 Allly 3^d rate Ash, Oak, Beech &c. undg. Logw. & birch

- East On Random between Secs. 27 & 34, T.M.N. R2 E.
 38.00 a Branch 10 lks. wide Cr. S.W.
 40.00 Set temp. q. Sec. post
 78.20 Intersected the N & S. line 168 lks. S. of the post
 Land level 2^d rate Beech, Oak, Poplar &c.
 undg. 3^d Price of birch.

- West On true line between Secs. 27 & 34, T.M.N. R2 E.
 39.10 Set q. Sec. post, at average dist. from which
 a Beech 6 in. diam. bran S50 W31 lks. dist. of
 a Do 6 " " " N51 W24 " "
 78.20 to Sec. Corner.

- North Between Secs. 27 & 28, T.M.N. R2 E.
 6.33 a Beech 20 in. diam. in the line
 31.00 a Creek 12 lks. wide Cr. S.W.
 40.00 Set the q. Sec. post, from which
 a Beech 30 in. diam. bran N20 W7 lks. dist. of
 a Do 20 " " " S75 E26 " "
 65.90 a W. Oak 24 " " in the line
 80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which
 a Beech 36 in. diam. bran S30 E10 lks. dist. of
 a Do 10 " " " N16 E30 " "

T.M.N. R2E. 2nd Mer. Indiana

401

Level 2nd rate, Beech, Poplar, Sugar &c. undg. ^{the} Spice.

East On Random between Sec. 22 & 27, T.M.N. R2E

40.00 Set temp. q. Sec. post

79.25 Intersected the N & S. line 75 lks. S. of Corner.

Land level 2nd rate, Beech, Ash, Hickory, W. Oak
&c. undg. ^{the} Spice & hampaw. Aug. 11th 1820

West On true line between Sec. 22 & 27, T.M.N. R2E.

39.62 Set q. Sec. post, ^{at average dist} from which

a Beech 6 in. dia. bray N 22 E 20 lks. dist. of

a do 10 " " " S 12 W 31 " "

79.25 to Sec. Corner.

North Between Sec. 21 & 22, T.M.N. R2E.

12.60 a Beech 12 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. bray S 80 W 19 lks. dist. of

a do 10 " " " N 3 E 24 " "

50.34 a Beech 18 " " in the line

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which

a Sassafras 10 in. dia. bray S 19 E 22 lks. dist. of

a Beech 4 " " " N 37 W 17 " "

Land hilly 3rd rate Ash, Beech &c. undg. ^{the} Spice & hampaw.

East On Random between 15 & 22, T.M.N. R2E

40.00 Set temp. q. Sec. post

78.00 Intersected the N & S. ^{line} 14 lks. S. of the Corner

Hilly 3rd rate, Beech, W. Oak &c. undg. ^{the} Spice.

West On true line between Sec. 15 & 22, T.M.N. R2E.

39.00 Set q. Sec. post at average dist. from which

a Sugar 6 in. dia. bray S 81 E 16 lks. dist

T.M.N. R2E. 2^d. Mer. Indiana

a Beech 18 in. dia. bray N 79° 14' E. dist.
78.00 to Sec. Corner.

North Between Secs. 15 & 16, T.M.N. R2E.

15.35 a Beech 24 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 22 in. dia. bray N 87° E 21 lks. dist. of

a Do 36 " " " N 79° 12' " "

73.95 a Poplar 48 " " in the line

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which

a Beech 24 in. dia. bray N 51° E 22 lks. dist. of

a Do 6 " " " N 91° 12' " "

Land Hilly 3^d. rate, Ash, Beech, Oak, &c, undg.
Spice, green briar, whortleberry, beech &c.

East On Random between Secs. 10 & 15, T.M.N. R2E.

40.00 Set temp. q. Sec. post

77.80 Intersected the N & S. line at the post

Hilly 3^d. rate, W. Oak, Beech, undg. Greenbrier,
Dogwood, Oak &c.

West On true line between Secs. 10 & 15, T.M.N. R2E.

38.90 Set the q. Sec. post at average dist. from which

a Beech 24 in. dia. bray S 75° E 10 lks. dist. of

a Do 24 " " " N 86° 14' " "

77.80 to Sec. Corner.

North Between Secs. 9 & 10, T.M.N. R2E.

17.54 an Ash 30 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 6 in. dia. bray S 78° E 15 lks. dist. of

a Do 10 " " " S 50° 12' " "

60.81 a Sugar 24 " " in the line

T11 N. R2 E. 2^d Mer. Indiana

403 ~~44~~

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 20 in. diam. bran N 70 E 23 lks. dist. of
a Sugar 5 " " " S 40 W 16 " "
Hilly 3^d rate, Beech, Hickory &c. undgth green briars &c.

East On Random between Sec. 3 & 10, T11 N. R2 E.

40.00 Set temp^y. gr. Sec. post

78.16 Intersected the N & S. line 89 lks. S. of the post
Land rolling 2^d rate, Beech, Ash, Hickory &c.
undgth Spice, Dogwood &c.

West On true line between Sec. 3 & 10, T11 N. R2 E.

39.08 Set gr. Sec. post at average dist. from which
W. Oak 24 in. diam. bran South 17 lks. dist. of
a Beech 20 " " " S 77 E 15 " "

78.16 to Sec. Corner

North Between Sec. 3 & 4, T11 N. R2 E.

20.21 a Beech 20 in. diam. in the line

40.00 Set the gr. Sec. post, from which
a Beech 20 in. diam. bran N 38 W 11 lks. dist. of
a Ho 5 " " " S 33 E 18 " "

56.50 a Beech 24 " " in the line

72.53 Intersected the N. boundary 165 lks. N. of the post
Set a post Cor. to Sec. 3 & 4, from which
a Beech 30 in. diam. bran N 32 W 40 lks. dist. of
a Sugar 4 " " " S 9 E 20 " "
Hilly 3^d rate, Beech, Ash &c. undgth briars &c.

August 12th. 1820

North Between Sec. 32 & 33, T11 N. R2 E.

17.80 a Sugar 18 in. diam. in the line

35.50 a Stream 6 lks. wide Cr. E.

T.M.N. R2 E. 2^d. Mer. Indiana

- 40.00 Let the q^r. Sec. post, from which
 a Gum 24 in. dia^r. beam N30 E 9 lks. dist. of
 a Sugar 20 " " " S50 W 30 " "
 69.00 a Sugar 24 " " in the line
 80.00 Let a post Cor. to Sec^s. 28, 29, 32 & 33, from which
 a Sugar 24 in. dia^r. beam S28 W 27 lks. dist. of
 a Beech 24 " " " N23 E 49 " "
 Sandhilly 3^d rate Beech, W. Oak &c. undg^r. briars

- East On Random between Sec^s. 28 & 33, T.M.N. R2 E.
 20.00 a stream 15 lks. wide Cr. N.W.
 40.00 Let temp^r. q^r. Sec. post
 78.77 Intersected the N & S. line 50 lks. N. of corner
 Sand level 3^d rate, Beech, W. Oak, undg^r. water
 Beech &c.

- West On true line between Sec^s. 28 & 33, T.M.N. R2 E.
 39.38¹/₂ Let q^r. Sec. post, from which
 a Beech 18 in. dia^r. beam S67 E 23 lks. dist. of
 a Do 12 " " " S66 W 20 " "
 78.77 to Sec. Corner

- North Between Sec^s. 28 & 29, T.M.N. R2 E. 2^d. Mer.
 9.50 a Creek 20 lks. wide Cr. N.W.
 20.50 Same 20 lks. " " N.E.
 25.00 Same 20 lks. " " N.W.
 26.00 a Beech 18 in. dia^r. in the line
 40.00 Let q^r. Sec. post from which
 a Beech 12 in. dia^r. beam N65 W 11 lks. dist. of
 a Do 15 " " " S28 E 28 " "
 69.45 an Ash 20 " " in the line
 80.00 Let a post Cor. to Sec^s. 20, 21, 28 & 29, from which
 a Beech 10 in. dia^r. beam N82 E 23 lks. dist. of

T.M.N. R2E. 2nd Mer. Indiana

405 ~~40~~

a Beech 8 in. diam. bran N 57 W 13 lks. dist.
Land level 3rd rate

East On Random between Sec. 21 & 28, T.M.N. R2E

40.00 Set temp^y. q^r. Sec. post

78.82 Intersected the N & S. line 1.19 lks. N. of the post
Land rolling 3rd rate, Ash, Beech, Oak, Hickory
undergth. Spice &c

West On true line between Sec. 21 & 28, T.M.N. R2E.

39.49 Set q^r. Sec. post at average dist. from which

a Beech 20 in. diam. bran N 50 E 10 lks. dist. of

a Do 30 " " " S 55 W 13 " "

78.82 to Sec. Corner.

North Between Sec. 20 & 21, T.M.N. R2E, 2nd Mer.

14.70 a Beech 12 in. diam. in the line

40.00 Set the q^r. Sec. post, from which

a Beech 10 in. diam. bran N 75 E 11 lks. dist. of

a Do 10 " " " S 34 W 37 " "

57.90 a Beech 20 " " in the line

80.00 Set a post Cor. to Sec. 16 & 17, 20 & 21, from which

a Beech 26 in. diam. bran N 63 E 18 lks. dist. of

a Do 18 " " " N 80 W 23 " "

Land level 2nd rate, Ash, Beech &c. undgth. Spice.

East On Random between Sec. 16 & 21, T.M.N. R2E.

40.00 Set temp^y. q^r. Sec. post

78.50 Intersected the N & S. line 8 lks. S. of the post

Land hilly 3rd rate, Beech, Poplar, Sugar &c.

undgth. Spice, Sassafras &c. August 14th. 1820

West On true line between Sec. 16 & 21, T.M.N. R2E.

T11 N. R2 E. 2ⁿ Mer. Indiana

39.25 Set of. Sec. post, at average dist. from which
 at Beech 13 in. dia. bray N42 W 38 lb. dist. of
 at Buckeye 10 " " " S13 W 22 " "
 78.50 to Sec. Corner.

North Between Sec. 16 & 17, T11 N. R2 E.

36.57 a Poplar 4 in. dia. in the line
 40.00 Set the of. Sec. post, from which
 a Beech 24 in. dia. bray S50 E 11 lb. dist. of
 a Do 4 " " " S75 W 15
 74.13 a Beech 20 " " in the line
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Hickory 12 in. dia. bray S72 W 26 lb. dist. of
 a Beech 6 " " " N70 E 14 " "
 Sand hilly 3^d rate, Oak, Hickory, Beech &c.
 undgth green briar & whortleberry.

East On Random between Sec. 9 & 16, T11 N. R2 E.

40.00 Set temp^y of. Sec. post
 77.70 Intersected the N & S. line. 95 lb. S. of post
 Sand hilly 3^d rate, Beech, Ash, Hick^y. undgth.
 Green briar & Whortleberry.

West On true line between Sec. 9 & 16, T11 N. R2 E

38.85 Set of. Sec. post at average dist. from which
 a Beech 18 in. dia. bray S42 W 10 lb. dist. of
 a Do 6 " " " N61 E 28 " "
 77.70 to Sec. Corner

North Between Sec. 8 & 9, T11 N. R2 E.

34.83 a Beech 12 in. dia. in the line
 40.00 Set the of. Sec. post, from which
 a Dogwood 6 in. dia. bray S22 E 14 lb. dist. of

T.M.N. R2 E. 2^d. Mer. Indiana

407

a Beech 4 in. dia. bray N 22 W 31 lks. dist
 50.80 a Beech 20 " " in the line
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
 an Ash 12 in. dia. bray N 63 E 16 lks. dist, of
 a Beech 10 " " " S 76 W 21 " "
 Land rolling 3^d rate Beech, Ash, Oak &c. under-
 g^d. greenbrier & Spice

East On Random between Sec. 4 & 9, T.M.N. R2 E.
 40.00 Set temp^y. of Sec. post
 78.38 Intersected the N & S. line 130 lks. S. of post
 Hilly 3^d rate, Beech, ash, Oak & Sugar,
 underg^d. Spice, Sassafras &c.

West On true line between Sec. 4 & 9, T.M.N. R2 E.
 39.19 Set of Sec. post at average dist. from which
 a Beech 8 in. dia. bray S 41 W 4 lks. dist, of
 a Sugar 20 " " " N 50 E 24 " "
 78.38 to Sec. Corner. Aug. 15th. 1820.

North Between Sec. 4 & 5, T.M.N. R2 E, 2^d. Mer.
 26.15 a Sugar 18 in. dia. in the line
 40.00 Set the of Sec. post. from which
 a Beech 4 in. dia. bray S 88 E 15 lks. dist, of
 a Do 7 " " " N 75 W 33 " "
 64.22 a Poplar 60 " " in the line
 72.90 Intersected the N. boundary 97 lks. W. of post
 Set a post Cor. to Sec. 4 & 5, from which
 an Ironwood 4 in. dia. bray S 53 E 14 lks. dist, of
 a Beech 12 " " " N 65 W 13 " "
 Land hilly 3^d rate, Beech, Sugar, Poplar, Oak
 underg^d. Spice &c.

T.M.N. R2E. 2^d Mer. Indiana

North Between Secs. 31 & 32, T.M.N. R2E

9.25 a Spring

29.52 a Poplar 39 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Sugar 4 in. diam. bears S65 E 6 1/2 km. dist. of

a Ho 4 " " " N10 E 15 " "

61.90 a Beech 20 " " in the line

68.00 a Branch 3 km. wide Cr. N.W.

80.00 Set a post cor. to Secs. 29, 30, 31 & 32, from which

an Ash 24 in. diam. bears N15 W 35 km. dist. of

a Water Ash 24 " " " N25 W 20 " "

Land hilly 3^d rate, Beech, Ash, Hickory, Oak,
undergth. briars &c.

West Between Secs. 30 & 31, T.M.N. R2E.

22.95 a Hickory 15 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Sugar 18 in. diam. bears S70 E 19 km. dist. of

a Beech 30 " " " N50 W 26 " "

47.38 an Elm 24 " " in the line

72.72 Intersected the W. boundary 217 km. S. of the post

Set a post cor. to Secs. 30 & 31, from which

a Sugar 18 in. diam. bears West 19 km. dist. of

a Water beech 5 " " " N48 E 17 " "

Land level 2^d rate, Ash, Beech, Hickory, water
Beech &c.

East On Random between Secs. 29 & 32, T.M.N. R2E

15.50 a Branch 4 km. wide Cr. N.

38.20 a Ho 4 " " " N.

40.00 Set temp. q. Sec. post

79.25 Intersected the N & S. line 330 km. S. of the post

Rolling 2^d rate, Beech, Sugar, Oak &c.

T.M.N. R2E, 2nd Mer. Indiana

409

West On true line between Secs. 29 & 32

39.62 Set q. Sec. post at average dist. from which
a Beech 10 m. diam. bears N 45° W 22 lks. dist. of
a Beech 30 " " " N 68° E 32 " "

79.25 to Sec. Corner.

North Between Secs. 29 & 30, T.M.N. R2E.

17.70 a Creek 20 lks. wide Cr. S.W.

23.45 a Beech 15 m. diam. in the line

40.00 Set the q. Sec. post, from which

a Beech 24 m. diam. bears N 63° E 7 lks. dist. of

a Do 10 " " " S 37° W 13 " "

61.75 a Beech 24 " " in the line

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which

a Beech 6 m. diam. bears S 37° W 24 lks. dist. of

a Do 24 " " " N 20° W 25 " "

Land hilly 3rd rate, Ash, hickory, Oak undergth.
Spice & briar.

East On Random between Secs. 20 & 29, T.M.N. R2E.

40.00 Set temp. q. Sec. post

79.30 Intersected the N & S. line 375 lks. S. of the post

1st 1/2 hilly - last 1/2 level 3rd rate ash, Beech,
undergth. Ash, Briar &c.

West On true line between Secs. 20 & 29, T.M.N. R2E.

39.65 Set q. Sec. post at average dist. from which

a Maple 20 m. diam. bears S 85° E 11 lks. dist. of

an Oak 10 " " " S 10° W 15 " "

79.30 to Sec. Corner.

West Between Secs. 19 & 30, T.M.N. R2E.

17.50 a Sugar 15 m. diam. in the line

T. M. N. R. 2 E. 2ⁿ. Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Beech 6 m. dia. bray S 55 E 8 lks. dist. &
a Do 20 " " " N 64 W 27 " "
55.16 a Swp. Ash 24 " " in the line
72.32 Intersected the W. boundary 205 lks. N. of post
Set a post Cor. to Sec. 19 & 30, from which
a Beech 36 m. dia. bray N 37 E 8 lks. dist. &
a Do 28 " " " N 78 W 32 " "
Land hilly 3^d rate, Beech, Swamp Ash, hick.
Oak &c. undgth. Spice & Green briars.
-

North Between Sec. 19 & 20, T. M. N. R. 2 E.

- 19.90 an Ash 24 m. dia. in the line
40.00 Set the q. Sec. post, from which
a W. Oak 48 m. dia. bray S 41 E 8 lks. dist. &
a Beech 10 " " " N 44 W 31 " "
62.87 a W. Oak 18 " " m. dia. in the line
80.00 Set a post Cor. to Sec. 17, 18, 19, 20, from which
a Dogwood 7 m. dia. bray N 52 W 6 lks. dist. &
a Beech 8 " " " S 25 E 26 " "
Land hilly 3^d rate, W. Oak, Beech, &c. undgth.
Green briar, Sassafras &c. Aug. 16th. 1820
-

West Between Sec. 18 & 19, T. M. N. R. 2 E.

- 18.12 a W. Oak 30 m. dia. in the line
40.00 Set the q. Sec. post, from which
a Beech 6 m. dia. bray S 71 E 12 lks. dist. &
a Do 10 " " " N 40 W 36 " "
55.10 an Elm 20 " " in the line
56.00 a Spring.
71.88 Intersected the W. boundary 178 lks. N. of the post
Set a post Cor. to Sec. 18 & 19, from which
a Beech 7 m. dia. bray S 57 W 15 lks. dist. &

411

Met. N2E, 2^d. Mer. Indiana

a Beech 12 in. dia. bear N83 E 25 lks. dist. of
 Hilly 3^d. rate, Beech, Oak &c. undgth. Briars of
 Sassafras &c

East On Random between Sec. 17 & 20, T11 N. R2E.

40.00 Set temp^l. of Sec. post

79.50 Intersected the N of S. line 5.35 lks S. of the post
 Land hilly 3^d. rate Oak, Beech &c. undgth. Spice

West On true line between Sec. 17 & 20, T11 N. R2E.

39.75 Set of Sec. post at average dist. from which
 an Ironwood 6 in. dia. bear N10 W 25 lks. dist. of
 a W. Oak 36 " " " N10 E 15 " "

79.50 to Sec. Corner.

North Between Sec. 17 & 18, T11 N. R2E. 2^d. Mer.

24.16 a Beech 12 in. dia. in the line

40.00 Set the of Sec. post, from which
 a Hickory 15 in. dia. bear N50 E 13 lks. dist. of
 a Beech 5 " " " S38 W 10 " "

55.20 a Beech 36 " " in the line

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 10 in. dia. bear N43 E 19 lks. dist. of
 a Do 10 " " " S3 W 13 " "

Hilly 3^d. rate, Beech, Oak &c. undgth. Sassafras &c

West Between Sec. 7 & 18, T11 N. R2E.

26.00 a Walnut 10 in. dia. in the line

40.00 Set the of Sec. post, from which
 a Beech 30 in. dia. bear N39 W 5 lks. dist. of
 a Do 6 " " " S39 E 12 " "

44.75 a Branch 3 lks. wide C. S. E.

53.78 a Beech 18 in. dia. in the line

T.M.N. - R2E.2^d. Mer. Indiana

70.71 Intersected West boundary 153 lks. N. of the post
 at a post Cor. to Sec. 7 & 18, from which
 a Beech 6 in. dia. beam N 12° W 13 lks. dist. of
 a Do 20 " " " N 37° E 39 " "
 1st 3/4 Hilly - last pt. level all 3^d rate, Beech, Oak,
 Oak &c. undergth Dring

East On Random between Sec. 8 & 17, T.M.N. R2E.
 40.00 At tempth of Sec. post
 79.50 Intersected the N of S. line 504 lks. S. of post
 Land hilly 3^d rate, Beech Oak &c. undgth Dring.

West On true line between Sec. 8 & 17, T.M.N. R2E.
 39.77 At of Sec. post at average dist. from which
 a Hickory 6 in. dia. beam N 24° W 10 lks. dist. of
 a W. Oak 26 " " " S 28° E 48 " "
 79.54 to Sec. Corner. Aug. 17th 1820

North Between Sec. 7 & 8, T.M.N. R2E.
 30.15 a Beech 10 in. dia. in the line
 40.00 At the of Sec. post, from which
 an Ironwood 6 in. dia. beam N 19° W 8 lks. dist. of
 a Hickory 6 " " " S 20° W 15 " "
 62.28 a Beech 12 " " in the line
 80.00 At a post Cor. to Sec. 5, 6, 7 & 8, from which
 a Poplar 10 in. dia. beam N 56° E 15 lks. dist. of
 a Do 6 " " " S 62° W 10 " "
 Hilly 3^d rate, Poplar, Beech, B.M. Oak, under-
 gth Dring &c.

West Between Sec. 6 & 7, T.M.N. R2E.
 23.70 a Sugar 10 in. dia. in the line
 24.33 a Stream 8 lks. wide cr. N.W.

T.M.N. 102 E. 2^d Mer. Indiana

413

- 40.00 At the q^r. Sec. post, from which
a Beech 6 in. diam. bray S 87° W 18 lks. dist. of
a Sugar 7 " " " N 78° E 24 " "
- 62.96 a Sugar 15 " " in the line
- 70.50 Intersected the W. boundary 22 lks. ~~W.~~ of the post
Set a post Cor. to Sec. 6 & 7, from which
a Beech 10 in. diam. bray N 72° W 17 lks. dist. of
a No 8 " " " N 4° E 23 " "
Shilly 2^d rate, 1 Beech, Sugar, Poplar, &c.

East On Random between Sec. 5 & 8

- 40.00 At temp^r. q^r. Sec. post
- 78.80 Intersected the N & S. line 5.78 South of post
Shilly 3^d rate, 1 Beech, W. Oak, Poplar &c. undgth.
Spice, bray &c.

West On true line between Sec. 5 & 8, T.M.N. 102 E.

- 39.40 At q^r. Sec. post at average dist. from which
a Beech 8 in. diam. bray North 26 lks. dist. of
a No 7 " " " S 33° N 8 " "
78.80 to Sec. Corner.

North Between Sec. 5 & 6, T.M.N. 102 E.

- 19.50 a Beech 30 in. diam. in the line
- 40.00 At the q^r. Sec. post, from which
a Beech 10 in. diam. bray S 44° E 21 lks. dist.
an^{ed} Elm 5 " " " N 65° W 22 " "
- 62.50 a Poplar 60 " " in the line
- 78.04 Intersected the N. boundary 50 lks. N. of post
Set a post Cor. to Sec. 5 & 6, from which
a Beech 12 in. diam. bray S 25° E 12 lks. dist. of
a Sp. Oak 15 " " " N 19° E 30 " "
Land level 2^d rate, Ash, 1 Beech, Poplar &c.

Mr. R. E. 2nd Mer. Indiana

undergrowth Spice f. August 18th 1820
Surveyed by Basil Bently, Dep. Sur.

We John Brown, John Chambers, John Cushman and Ser. Grover, do solemnly swear in the presence of Almighty God, that in all measurements in which we shall be employed as chain carriers in the public surveys, we will faithfully and impartially execute the duties of the trust reposed in us to the best of our skill and abilities: so help us God.

Chairmen John P. Brown
John Chamber
Ser. Grover
ofman John Gushwa

Sworn and subscribed before me this 7th
day of August 1820 B. Bentley, Dep. Sur.

Camp

I Certify that the foregoing transcript of field notes of Township N. 11. N. Range N. 2 E. 2. Mer. Indiana has been compared with the original notes in this Office & found to be correct.

Surveyor General's Office
Cincinnati, March 11th 1845

Ernest
Sur. Genl.